





-100

-200 -150



400



-400

$$\mathcal{E} = -0.4$$

$$\mathcal{L} = 0.27$$

0 50 100 150 200

l / 50



400


100


-50

-200

-200 -150

-150







100

ուսունությունուսունություն

ىر بىيىسىسى بىي


150 200








! / 50

200











ويبيه يستر يتستيس يستيسن ستستين











يستر يستستن ستت ا بىسىسى سە 400 -200 50 100 150 200 200 -150 -100 100 100 200 200 100 100 -100 -100 -50 -200 -200 -200 -150 -50 50 200

Belle II Masterclass: Data set F


















100

-100

-200






How many colors does a guark come in?

5 / 50

Belle II Masterclass: Data set F


How many colors does a quark come in?

Ũ




Belle II

-400




E = 1.5 $r_{y} = 0.56$













Belle II





$$E = 0.0$$

 $\sum = 1.0$

Event 8







200

100

-100

-200

How many colors does a guark come in?



-400


200


100


-100

-200












 $\mathcal{E} = -0.0$ $\mathcal{K}_{\chi} = 1.0$

How many colors does a quark come in?




200






400


Event 11 E = 35.6 $r_{y} = 0.62$






-200 -150 -100 $\mathcal{E} = -0.0$ $\mathcal{K}_{\chi} = 1.0$


والمستقين والمستقلين والمستقلين والمستقلين و 100 150









150 200






E = 0.0 $\sum = 1.0$


Event 13

















 $\mathcal{E} = -0.3$ $\mathcal{K}_{\mathcal{A}} = 0.2$










How many colors does a guark come in?

15 / 50


Belle II Masterclass:








E = 11.0 $rac{1}{5} = 0.07$







How many colors does a quark come in?


17 / 50


Belle II Masterclass:













Belle II Masterclass:


Belle II


Data set F






 $\not E = -0.1$ $\swarrow = 0.29$






Belle II Masterclass: Data set









$$E = -1.9$$


 $\sum = 0.34$









Belle II



















$$E = 3.6$$


 $r_{y} = 0.53$





$$E = 16.3$$

 $r_{y} = 0.16$





Belle II Masterclass: Data


How many colors does a quark come in?

23 / 50


Belle II Masterclass:













Belle II










Belle II Masterclass: Dat

How many colors does a quark come in?









$$E = -5.1$$


 $\sum = 0.18$



How many colors does a quark come in?





Belle II





















Data set F Belle II Masterclass:


300




Belle II










$$E = 0.0$$

 $= 1.0$




ير بينيانين بينيانين المتحمين المحمدان -200 -150 -100 100 150 200 200 400 200 200 100 100 -100 -100 -50 -200 -200 -100 400 -200 -150 -100 -50 50 200


Belle II Masterclass: Data set F


How many colors does a guark come in?

30 / 50


How many colors does a quark come in?








31 / 50






$$\mathcal{E} = -0.0$$


 $\mathcal{I} = 1.0$


Event 32





200









400











-200 -150 -100 -50



100





200

200

100

-100

-200


150 200

200 150


100








Belle II




 $\mathcal{E} = 0.2$ $\mathcal{L} = 0.98$


Event 35















$$\mathcal{E} = -4.3$$


$$\mathcal{L} = 0.25$$






E = 0.0= 1.0






Belle II Masterclass: Data set F


How many colors does a quark come in?






Belle II Masterclass: Data set F

How many colors does a quark come in?








Belle II Masterclass: Data set F


How many colors does a quark come in?






40 / 50







 $\mathcal{E} = 3.6$ $\mathcal{L} = 0.11$



Belle II


200

100

-100


-200






200

400



E = 13.1= 0.1


Event 41






200 300 400






Belle II




E = 0.0= 1.0


Event 42

















E = 0.0= 1.0














$$E = 6.5$$

 $\searrow = 0.4$



200


100

-100

-200


400





ويستستبين

-200 -150 -100




$$E = 0.0$$


 $r_{y} = 1.0$

ير بينيانين بينيانين المتحمين المحمدان


100 150 200



100








/ 50


100


Belle II Masterclass: Data set F


How many colors does a quark come in




$$\frac{1}{\sqrt{2}} = \frac{53.2}{\sqrt{2}} = 1.0$$









Belle II Masterclass: Data set F

How many colors does a guark come in



Belle II


200

100

-100


-200






-200

-150 -100





 $\not E = -0.3$ $\swarrow = 0.48$

سري

100 150 200

ىر يىسىسى يىس

Belle II Masterclass:

200 300 400

Belle II

200

100


-100

-200

-100

-50

-200 -150



.......

$$E = -0.0$$

 $r_y = 1.0$

100

100

-100

200

